

FINAL CERTIFICATE OF ANALYSIS



COA N°: 1004780-0
 Supersedes:
 COA Date: 27/10/2025
 Page 1 / 8

Customer: The Saldanha Bay Water Quality Forum Trust
 Order N°: CT 25-039268
 Client Reference N°:
 Project N°: CT 25-039268

Analysed By Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences
 16 Warrington Road, Claremont, Western Province, South Africa
 Phone: +27216838436 Fax: +27216834695
 E-mail: za.customercare@mxns.com

Received from The Saldanha Bay Water Quality Forum Trust
 20 Pelican Street, The Cove, 7357, Langebaan, South Africa
 E-mail: metsal@imagnet.co.za

To: The Saldanha Bay water Quality Forum Trust
 Mr. Christo van wyk
 20 Pelican Street The Cove
 7357
 Langebaan
 South Africa

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-001 Sample N°: 6325138 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Breakwater Saldanha next to Mussel Rafts
 COA Remark**: 05:43

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		4	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-002 Sample N°: 6325139 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Small Craft Harbour
 COA Remark**: 05:47

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	19	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		5	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS



COA N°: 1004780-0
 Supersedes:
 COA Date: 27/10/2025
 Page 2 / 8

Customer: The Saldanha Bay Water Quality Forum Trust
 Order N°: CT 25-039268
 Client Reference N°:
 Project N°: CT 25-039268

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-003 Sample N°: 6325140 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Government Jetty
 COA Remark**: 05:51

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	4	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-004 Sample N°: 6325141 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Saldanha Bay Yacht Club
 COA Remark**: 05:58

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-005 Sample N°: 6325142 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Pepper Bay; Southern Seas Fishing side
 COA Remark**: 06:05

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS

COA N°: 1004780-0
 Supersedes:
 COA Date: 27/10/2025
 Page 3 / 8

Customer: The Saldanha Bay Water Quality Forum Trust
 Order N°: CT 25-039268
 Client Reference N°:
 Project N°: CT 25-039268



SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-006

Sample N°: 6325143

Test Date: 22/10/2025

Category Detail: Water

Sample Condition: Sealed

Date Received: 22/10/2025

Product Description**: Pepper Bay next to Sewage Overflow Outlet

COA Remark**: 06:09

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-007

Sample N°: 6325144

Test Date: 22/10/2025

Category Detail: Water

Sample Condition: Sealed

Date Received: 22/10/2025

Product Description**: Hoedjiesbaai

COA Remark**: 06:30

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	2	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-008

Sample N°: 6325145

Test Date: 22/10/2025

Category Detail: Water

Sample Condition: Sealed

Date Received: 22/10/2025

Product Description**: Saldanha Holiday resort

COA Remark**: 06:19

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	40	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		4	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS



COA N°: 1004780-0
 Supersedes:
 COA Date: 27/10/2025
 Page 4 / 8
 Customer: The Saldanha Bay Water Quality Forum Trust
 Order N°: CT 25-039268
 Client Reference N°:
 Project N°: CT 25-039268

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-009 Sample N°: 6325146 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Bok River at Blue Water Bay
 COA Remark**: 07:00

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	900	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		70	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-010 Sample N°: 6325147 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Portnet; the Side Facing Saldanha
 COA Remark**: 07:20

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	1	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-011 Sample N°: 6325148 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Portnet the Side Facing Langebaan
 COA Remark**: 07:31

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	6	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS

COA N°:	1004780-0
Supersedes:	
COA Date:	27/10/2025
Page	5 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	CT 25-039268
Client Reference N°:	
Project N°:	CT 25-039268



SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-012
 Category Detail: Water
 Product Description**: Paraside Beach
 COA Remark**: 08:06

Sample N°: 6325149
 Sample Condition: Sealed

Test Date: 22/10/2025
 Date Received: 22/10/2025

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-013
 Category Detail: Water
 Product Description**: Club Mykonos
 COA Remark**: 08:24

Sample N°: 6325150
 Sample Condition: Sealed

Test Date: 22/10/2025
 Date Received: 22/10/2025

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-014
 Category Detail: Water
 Product Description**: Strandloper next to Outlet from Country Club
 COA Remark**: 08:41

Sample N°: 6325151
 Sample Condition: Sealed

Test Date: 22/10/2025
 Date Received: 22/10/2025

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS



COA N°: 1004780-0
Supersedes:
COA Date: 27/10/2025
Page 6 / 8

Customer: The Saldanha Bay Water Quality Forum Trust
Order N°: CT 25-039268
Client Reference N°:
Project N°: CT 25-039268

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-015 Sample N°: 6325152 Test Date: 22/10/2025
Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
Product Description**: Langebaan Beach Houses North Street
COA Remark**: 08:55

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	2	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-016 Sample N°: 6325153 Test Date: 22/10/2025
Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
Product Description**: Pearlys
COA Remark**: 09:03

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	1	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-017 Sample N°: 6325154 Test Date: 22/10/2025
Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
Product Description**: Yacht Club
COA Remark**: 09:40

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS



COA N°: 1004780-0
 Supersedes:
 COA Date: 27/10/2025
 Page 7 / 8
 Customer: The Saldanha Bay Water Quality Forum Trust
 Order N°: CT 25-039268
 Client Reference N°:
 Project N°: CT 25-039268

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-018 Sample N°: 6325155 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Klein Oostewal Beach
 COA Remark**: 09:17

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		4	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-019 Sample N°: 6325156 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Kraalbaai North
 COA Remark**: 07:49

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 25-039268-020 Sample N°: 6325157 Test Date: 22/10/2025
 Category Detail: Water Sample Condition: Sealed Date Received: 22/10/2025
 Product Description**: Kraalbaai South
 COA Remark**: 07:45

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
☒ Escherichia coli METHOD: SWJM 45	23/10/2025	No Growth	cfu/100ml	
☒ Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/10/2025			
Intestinal Enterococci (Faecal Strep)		2	cfu/100ml	

☒ Accredited analysis * Non Accredited analysis ➔ Subcontracted Test NC Non Conformance ** Customer provided data ✎ Changed Data

TMA = Total Microbial Activity / Total Viable Plate Count.

No growth = Not detected / less than the lower detection limit of the test method, for the specified sample type / volume of sample tested.

Tests marked with a tick in this report are included in the SANAS Schedule of Accreditation for this laboratory T 0050.

Tests marked with a * in this report are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

** Data provided by the customer.

Tests marked with a plane in this report are Subcontracted Tests and are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

The test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.

The test report applies to the sample as received where the laboratory has not been responsible for the sampling stage.

Opinions and interpretations expressed in this report are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.

FINAL CERTIFICATE OF ANALYSIS

COA N°:	1004780-0
Supersedes:	
COA Date:	27/10/2025
Page	8 / 8

Customer:	The Saldanha Bay Water Quality Forum Trust
Order N°:	CT 25-039268
Client Reference N°:	
Project N°:	CT 25-039268



Results validated on 27/10/2025

By: Tanya Swanson

Technical Signatory