

**FINAL CERTIFICATE OF ANALYSIS**



<b>COA N°:</b>	1032503-0
<b>Supersedes:</b>	
<b>COA Date:</b>	16/02/2026
<b>Page</b>	1 / 8
<b>Customer:</b>	The Saldanha Bay Water Quality Forum Trust
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996
<b>Analysed By</b>	Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences 16 Warrington Road, Claremont, Western Province, South Africa  Phone: +27216838436 Fax: +27216834695 E-mail: za.customercare@mxns.com
<b>Received from</b>	The Saldanha Bay Water Quality Forum Trust  20 Pelican Street, The Cove, 7357, Langebaan, South Africa  E-mail: wlucas@wcdm.co.za

**To:** The Saldanha Bay Water Quality Forum Trust  
 Wilman Lucas  
 20 Pelican Street The Cove  
 7357  
 Langebaan  
 South Africa

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-001      **Sample N°:** 6503071      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Breakwater Samples next to mussel rafts 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 05:45

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-002      **Sample N°:** 6503072      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Small Craft Harbour 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 05:53

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

**FINAL CERTIFICATE OF ANALYSIS**



COA N°:	1032503-0
Supersedes:	
COA Date:	16/02/2026
Page	2 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-003      **Sample N°:** 6503073      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Government Jetty 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:00

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-004      **Sample N°:** 6503074      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Saldanha Bay Yacht Club 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:10

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-005      **Sample N°:** 6503075      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Pepper Bay Southern Seas Fishing Side 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:16

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

**FINAL CERTIFICATE OF ANALYSIS**



COA N°:	1032503-0
Supersedes:	
COA Date:	16/02/2026
Page	3 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-006      **Sample N°:** 6503076      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Pepper Bay next to Sewage overflow Outlet 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:22

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-007      **Sample N°:** 6503077      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Hoedjiesbaai 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:33

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	130	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		7	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-008      **Sample N°:** 6503078      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Saldanha Holiday Resort 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:27

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

**FINAL CERTIFICATE OF ANALYSIS**



COA N°:	1032503-0
Supersedes:	
COA Date:	16/02/2026
Page	4 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-009      **Sample N°:** 6503079      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Bok River at Blue Water Bay 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 06:51

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	140	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		130	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-010      **Sample N°:** 6503080      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Portnet the side facing Saldanha 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 07:15

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	7	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		2	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-011      **Sample N°:** 6503081      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Portnet the side facing Langebaan 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 07:25

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	19	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		4	cfu/100ml	

**FINAL CERTIFICATE OF ANALYSIS**



COA N°:	1032503-0
Supersedes:	
COA Date:	16/02/2026
Page	5 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-012      **Sample N°:** 6503082      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Paraside Beach 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 08:02

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	2	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-013      **Sample N°:** 6503083      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Club Mykonos 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 08:16

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-014      **Sample N°:** 6503084      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Strandloper next to outlet from Country Club 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 08:32

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	33	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		50	cfu/100ml	

**FINAL CERTIFICATE OF ANALYSIS**


COA N°:	1032503-0
Supersedes:	
COA Date:	16/02/2026
Page	6 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-015      **Sample N°:** 6503085      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Langebaan Beach Houses North Street 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 08:44

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	9	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-016      **Sample N°:** 6503086      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Pearlys 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 08:50; Tide: High

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	137	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		68	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-017      **Sample N°:** 6503087      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Yacht Club 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 09:24; Tide: High

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	1	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		2	cfu/100ml	

**FINAL CERTIFICATE OF ANALYSIS**



COA N°:	1032503-0
Supersedes:	
COA Date:	16/02/2026
Page	7 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-018      **Sample N°:** 6503088      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Klein Oostewal Beach 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 09:03; Tide: High

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	8	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-019      **Sample N°:** 6503089      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Kraalbaai North 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 07:53

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		2	cfu/100ml	

**SAMPLE DESCRIPTION**

**Lab Sample Ref #:** CT 26-004996-020      **Sample N°:** 6503090      **Test Date:** 11/02/2026  
**Category Detail:** Water      **Sample Condition:** Sealed      **Date Received:** 11/02/2026  
**Product Description\*\*:** Kraalbaai South 11/02/2026  
**Additional Sample Information\*\*:**  
 SBWQFT Seawater sample  
**COA Remark\*\*:** Time: 07:50

**ANALYTICAL RESULTS**

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> <b>Escherichia coli</b> METHOD: SWJM 45	12/02/2026	1	cfu/100ml	
<input checked="" type="checkbox"/> <b>Intestinal Enterococci (Faecal Streptococci)</b> METHOD: SWJM 57	12/02/2026			
Intestinal Enterococci (Faecal Strep)		2	cfu/100ml	

Accredited analysis      \* Non Accredited analysis      ➔ Subcontracted Test      NC Non Conformance      \*\* Customer provided data      ✎ Changed Data

**FINAL CERTIFICATE OF ANALYSIS**

<b>COA N°:</b>	1032503-0
<b>Supersedes:</b>	
<b>COA Date:</b>	16/02/2026
<b>Page</b>	8 / 8
<b>Customer:</b> The Saldanha Bay Water Quality Forum Trust	
<b>Order N°:</b>	
<b>Client Reference N°:</b>	
<b>Project N°:</b>	CT 26-004996



TMA = Total Microbial Activity / Total Viable Plate Count.

No growth = Not detected / less than the lower detection limit of the test method, for the specified sample type / volume of sample tested.

Tests marked with a tick in this report are included in the SANAS Schedule of Accreditation for this laboratory T0050.

Tests marked with a \* in this report are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

\*\* Data provided by the customer.

Tests marked with a plane in this report are Subcontracted Tests and are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

The test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.

The test report applies to the sample as received where the laboratory has not been responsible for the sampling stage.

Opinions and interpretations expressed in this report are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.

Results validated on 16/02/2026

By: Raphael Marankey

Technical Signatory