

FINAL CERTIFICATE OF ANALYSIS



COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	1 / 8
Customer:	The Saldanha Bay Water Quality Forum Trust
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184
Analysed By	Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences 16 Warrington Road, Claremont, Western Province, South Africa Phone: +27216838436 Fax: +27216834695 E-mail: za.customercare@mxns.com
Received from	The Saldanha Bay Water Quality Forum Trust 20 Pelican Street, The Cove, 7357, Langebaan, South Africa E-mail: metsal@imagnet.co.za

To: The Saldanha Bay Water Quality Forum Trust
Mr. Christo van wyk

20 Pelican Street The Cove
7357
Langebaan
South Africa

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-001 **Sample N°:** 6465615 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Breakwater Saldanha Next To Mussel Rafts
Client Sample N°:** 1

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-002 **Sample N°:** 6465616 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Small Craft Harbour
Client Sample N°:** 2

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS

COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	2 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184


SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-003 **Sample N°:** 6465617 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Government Jetty
Client Sample N°:** 3

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		2	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-004 **Sample N°:** 6465618 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Saldanha Bay Yacht Club
Client Sample N°:** 4

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	4	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		20	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-005 **Sample N°:** 6465619 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Pepper Bay - Southern Seas Fishing Side
Client Sample N°:** 5

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		1	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS

COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	3 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184


SAMPLE DESCRIPTION

Lab Sample Ref #: 26-002184-006 **Sample N°:** 6465620 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Pepper Bay Next To Sewage Overflow - Outlet
Client Sample N°:** 6

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		4	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-007 **Sample N°:** 6465621 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Hoedjiesbaai
Client Sample N°:** 7

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	50	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		30	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-008 **Sample N°:** 6465622 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Saldanha Holiday Resort
Client Sample N°:** 8

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	24	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		80	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS

COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	4 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184


SAMPLE DESCRIPTION

Lab Sample Ref #: 26-002184-009 **Sample N°:** 6465623 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Bok River At Blue Water Bay
Client Sample N°:** 9

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	30	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		22	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-010 **Sample N°:** 6465624 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Portnet - The Side Facing Saldanha
Client Sample N°:** 10

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	1	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-011 **Sample N°:** 6465625 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Portnet The Side Facing Langebaan
Client Sample N°:** 11

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS



COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	5 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-012 **Sample N°:** 6465626 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Paraside Beach
Client Sample N°:** 12

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-013 **Sample N°:** 6465627 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Club Mykonos
Client Sample N°:** 13

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-014 **Sample N°:** 6465628 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Strandloper Next To Outlet From Country Club
Client Sample N°:** 14

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	20	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS


COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	6 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-015 **Sample N°:** 6465629 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Langebaan Beach Houses North Street
Client Sample N°:** 15

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-016 **Sample N°:** 6465630 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Pearly's
Client Sample N°:** 16

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	30	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-017 **Sample N°:** 6465631 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Yacht Club
Client Sample N°:** 17

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		40	cfu/100ml	

FINAL CERTIFICATE OF ANALYSIS



COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	7 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-018 **Sample N°:** 6465632 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Klein Osostewal Beach
Client Sample N°:** 18

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	40	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		30	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-019 **Sample N°:** 6465633 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Kraalbaai North
Client Sample N°:** 19

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	1	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

SAMPLE DESCRIPTION

Lab Sample Ref #: CT 26-002184-020 **Sample N°:** 6465634 **Test Date:** 22/01/2026
Category Detail: Water **Sample Condition:** Sealed **Date Received:** 22/01/2026
Product Description:** Kraalbaai South
Client Sample N°:** 20

ANALYTICAL RESULTS

Tests	Analysis Start Date	Results	Units	Limits [Target value]
<input checked="" type="checkbox"/> Escherichia coli METHOD: SWJM 45	23/01/2026	No Growth	cfu/100ml	
<input checked="" type="checkbox"/> Intestinal Enterococci (Faecal Streptococci) METHOD: SWJM 57	23/01/2026			
Intestinal Enterococci (Faecal Strep)		No Growth	cfu/100ml	

Accredited analysis * Non Accredited analysis ➔ Subcontracted Test NC Non Conformance ** Customer provided data ✎ Changed Data

TMA = Total Microbial Activity / Total Viable Plate Count.

No growth = Not detected / less than the lower detection limit of the test method, for the specified sample type / volume of sample tested.

Tests marked with a tick in this report are included in the SANAS Schedule of Accreditation for this laboratory T 0050.

Tests marked with a * in this report are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

** Data provided by the customer.

Tests marked with a plane in this report are Subcontracted Tests and are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

The test report relates only to the specific item submitted for testing. It furnishes or implies no guarantee whatsoever, in respect of a similar item that has not been tested.

The test report applies to the sample as received where the laboratory has not been responsible for the sampling stage.

Opinions and interpretations expressed in this report are not included in the SANAS Schedule of Accreditation for this laboratory T0050.

The test report shall not be reproduced except in full without written approval of Swift Silliker (Pty) Ltd t/a Mérieux NutriSciences.

FINAL CERTIFICATE OF ANALYSIS

COA N°:	1026838-0
Supersedes:	
COA Date:	27/01/2026
Page	8 / 8
Customer: The Saldanha Bay Water Quality Forum Trust	
Order N°:	
Client Reference N°:	
Project N°:	CT 26-002184



Results validated on 27/01/2026
By: Raphael Marankey
Technical Signatory

A handwritten signature in black ink, appearing to read 'R. Marankey', written over a light blue background.